



**CUSTOMER NOTE!!!!**  
 This Saw Is Manufactured At A 630mm Passline And Require A CUSTOMER SUPPLIED Pit Or Platform To Achieve Any Other Passline Requested.




**Approximate Machine Weight**  
 Accumessure – 2,948 kg  
 1100 DG – 5,590 kg

**SAW COOLANT RECOMMENDATION:**  
 USE PEDDINGHAUS "PEDDI COOL" VEGETABLE BASE COOLANT  
 THIS PRODUCT IS FOR MIST COOLANT SYSTEMS  
 DO NOT MIX THIS COOLANT WITH WATER


- 1) Passline of Band Saw based on 630mm from Floor-Line
- 2) Concrete Floor under 1100 DG to be a Minimum of 152mm Thick
- 3) Total kW for 1100 DG = 17.6 kW (27 Amps)
- 4) Primary 400V., 3Ph., 50Hz., [Req'd @ ]
- 5) Air Requirement: 6.2 bar, Min. Free Air [Req'd @ each ]
- 6) Microsprayer lube (Avaliable from Mebo) 0.76 L Capacity
- 7) Hydraulic Oil (Mobil DTE #24 Or Equal) 60.6 L Capacity
- 8) Saw Anchor Bolts: 19mm Phillips Red Head #S-34 Or Equal [8 Req'd]

**Accumessure Notes**

- 1.) Passline of Equipment Based on mm from Floorline
- 2.) Concrete Under Equipment/Beams & Pits to be a Minimum of 152mm Thick
- 3.) Primary 400V., 3Ph., 50Hz. [Req'd @ each ]
- 4.) Total K.V.A. for Equipment = 29 kW { 48 Amps }
- 5.) Air Requirement: 6.2 bar. 1.19 SCMM Min. Free Air [Req'd @ each ]
- 6.) Hydraulic Oil (Mobil DTE #24 Or Equal) [Req'd @ Each ] {227 L Total}
- 7.) Anchor Bolts For Accumessure/Band Saw: 13mm Phillips Red Head #S-12 Or Equal [48 Req'd]
- 8.) Analog Phone Line for Remote Diagnostic And Support. [Req'd @ Each ]



**View A-A**



**View B-B**

E					
D					
C					
B					
A					
LET.	REVISION/C.N.#	BY	DATE	THIS PRINT IS THE PROPERTY OF PEDDINGHAUS CORP. AND IS NOT TO BE USED IN ANY MANNER DETRIMENTAL TO THE INTERESTS OF SAID COMPANY.	
<b>Peddinghaus Corp.</b>			IMPORTANT Safety Note! Because of the difficulty to effectively guard the full length of the system it is the customer's personnel and to provide safe crossing.		
BRADLEY, ILL. U.S.A.					
1100 DG & Accumessure			DRAWN BY: <i>S. Martin</i> SCALE: 1 : 30 DATE:		
for			DRWG. NO.		