


Notes:

- 1) Foundation Must Conform To Local Building Codes.
- 2) Foundation Must Be Reinforced With Rebar As Necessary.
- 3) Finished Foundation Must Be Free Of Cracks
- 4) 6" x 6" x 3/8" Thick Structural Angle Is To Be Embedded Into Concrete Around Perimeter
- 5) Total Pit Size : 19' x 4' x 4' Deep


Scrap Pit




!!!NOTE: DO NOT DRILL HOLES FOR ANCHOR PLATES UNTIL MACHINE IS IN PLACE AND LEVEL AT FINAL INSTALLATION!!!

6" x 6" x 3/8" THICK STRUCTURAL ANGLE AROUND ENTIRE PERIMETER, EMBEDDED IN CONCRETE.



WELD $\phi 1/2"$ x 6" LONG REBAR TO ANGLE AS NECESSARY.



SECTION A-A



SECTION B-B



E									
D									
C									
B									
A									
LET.	REVISION/C/N #	BY	DATE	THIS PRINT IS THE PROPERTY OF PEDDINGHAUS CORP. AND IS NOT TO BE USED IN ANY MANNER DETRIMENTAL TO THE INTERESTS OF SAID COMPANY.					

Peddinghaus Corp.
BRADLEY, ILL. U.S.A.

IMPORTANT Safety Note:
Because of the complexity of the system, it is the customer's responsibility to prevent access by unauthorized persons to the system site controls.
DRAWN BY: SCALE: 1/4" = 1" DATE: DRWG. NO.